

**PARTITIONS**  
 75/100 x 50mm STUDS @ 450mm CENTERS, HORIZONTALS @ 600mm CENTERS STAGGERED, WITH 12.7mm P/BOARD AND SKIM COAT FINISH BOTH SIDES, RUN SKIRTINGS TO MATCH, NOTE: DWANGS @ 450mm CENTERS AT FLOOR LEVEL OR DOUBLED JOISTS - NOT TO AFFECT SKIRTINGS FLOOR CONSTRUCTION.

**GENERAL**  
 ELECTRICS TO COMPLY WITH BS 7671 1982 NOTE: LIGHT FITTINGS AND POWER POINTS ONLY INDICATIVE, FINAL LAYOUT AND NUMBER OF EACH TO BE CLIENTS DECISION

DRAINAGE TO COMPLY WITH PART M OF THE TECHNICAL STANDARDS, ALL PLASTIC PIPEWORK TO BE FITTED TO THE MANUFACTURERS SPEC/ AND BE FULLY SUPPORTED ALONG ITS LENGTH. CONSULT PIPE-IN-FLOOR-DETAIL WHERE APPLICABLE

MAKE GOOD ALL FINISHES WHERE WORKS HAVE BEEN CARRIED OUT, REPLACE ALL DAMAGED FLOORBOARDS AND RUN SKIRTINGS FULL LENGTH AT ALTERATIONS

SMOKE ALARMS TO BE PROVIDED WHERE APPLICABLE, COMPLY TO BS. 5446:PART I 1990, BE LINKED, OFF SEPARATE MAINS AND LOCATED 300mm AWAY FROM ANY DOWNSTAND BEAM, LIGHT FITTING AND NO MORE THAN 3000mm FROM DOORWAY OF AN APARTMENT  
 72/HR BATTERY BACK UP (CH) -

- REMOVALS :**
- R1: REMOVE DOOR, STANDARDS - ENLARGE OPENING - INSERT IN 100X145 (CH) ROBSLEE CONC. LINTEL TYPE 'C' OVER WITH 150MM (CH) REST BOTH SIDES - MAKE GOOD ALL ROUND -
  - R2: SLAP OPENING IN BRICK WALL INSERT IN 100X145 (CH) ROBSLEE CONC. LINTEL TYPE 'C' OVER WITH 150MM (CH) REST BOTH SIDES - MAKE GOOD ALL ROUND -

**NOTE :**  
 ENSURE ADEQUATE SUPPORT DURING ABOVE ALTERATIONS (IE: NEEDLE/PROPP.) -

D\*: ALL NEW DOORS TO BE SELF-CLOSING FIRE DOORS, 20 MINS FIRE RESISTANCE (CH) - INTUMESCENT STRIPS WITH BRUSH INSERTS -


**ROOM AREA :**

ROOM	FLOOR AREA	1/5	1/30	D/L	VEHT
BED 'J 1.	11.75	0.784	0.392	1.32	0.91
BED 'J 2.	8.00	0.523	0.266	1.32	0.91
BED 'J 3.	7.33	0.488	0.244	2.38	1.19
BED 'J 4.	8.33	0.555	0.277	2.38	1.19

TV: TRICKLE VENTILATOR OF 8000 CM<sup>2</sup> (CH) TOP FRAME, TOP EAST OF WINDOW -

PLAN 1/50

THE CITY OF EDINBURGH COUNCIL  
 RECEIVED OF THIS DATE  
 17 DEC 2003  
 WARRIANT OF  
 For the City of Edinburgh Council



12/12/03  
 Grant Development  
*[Signature]*

**FOUNDATIONS Building Consultants**  
 4 ABERCORN ROAD EDINBURGH EH18 7JH  
 TEL: 0131 652 0281 FAX: 0131 652 1522

ALTER DWELLING HOUSE	
ADDRESS	22(2F) FALMURE PLACE
CLIENT	GRANT DEVELOPMENT
NO. 112	DATE 11/50 DEC 03
DATE	DRAWN BY 01/2
DATE	16/21/03/01