

NEW 30 MINUTE SELF CLOSING FIRE DOOR WITH INTUMESCENT STRIPS AND SMOKE SEALS

SPACE

SPACE

NEW WASTE PIPE WILL BE BOXED IN ABOVE THE EXISTING FLOOR LEVEL AND TERMINATE AT THE EXISTING SVP
 FALL OF NEW SINK 40mm PVC WASTE TO BE 1:40 AT ALL TIMES

50mm AAV
 - TO HAVE BBA CERTIFICATE.
 - TO TERMINATE ABOVE FLOOD LEVEL OF HIGHEST APPLIANCE MIN 150mm.
 - TO BE CONTAINED WITHIN ACCESSIBLE AND VENTILATED BOXING







LINTEL/BEAMS OVER NEW SLAPPING TO FORM KITCHEN. ACCORDANCE WITH STRUCTURAL ENGINEER'S SPECIFICATION

INTERNAL NON LOAD BEARING PARTITIONS
 70X50 STUDS AT 450MM CTRS WITH ONE STAGGERED ROW OF DWANGS AT 1200MM HEIGHT SHEETED BOTH SIDES 12.5MM TAPERED EDGE PLASTERBOARD

DWANG/JOIST UNDER ALL NEW PARTITION LINES TAKING CARE TO MAINTAIN EXISTING DEAFENING IN FLOOR ZONE

KITCHEN EXTRACT TAKEN WITH LEVEL BOXING TO OUTSIDE. VIA WALL MOUNTED VENT. VENT PREVENT THE INGRESS OF MOI INSECT INFESTATION

150X50W
 RUNNER
 WALL W/ RESIN AT 600MM (CEILING SECUREL WITH BA STANDAR HANGERS
 SHADED OF SUSP CONSTRU PLASTER SW TIMB)



GENERAL LAYOUT 1:50

72(312) Morning Side Road