



I CERTIFY THAT THIS IS THE TRUE AND CORRECT COPY OF THE PLAN REFERRED TO IN THE APPLICATION FOR WARRANT DATED 16/6/02

ERIC A. BUCHAN (AGENT)

<p>LOCATION PLAN</p> <p>1-1250</p> <p>14 12 10</p> <p>CAMBRIDGE ST.</p> <p>GRINDWAY STREET</p>	<p>KITCHEN</p> <p>SINK TO HAVE COLD WATER MAINS DIRECT FEED HAVE A 38mm ABS PIPE AS WASTE WITH A WASHING MACHINE "TEE" LOCATED ABOVE TRAP</p> <p>SPACE TO BE PROVIDED FOR A WASHING MACHINE AND FRIDGE SEE PLANS/SECTION FOR LOCATIONS</p> <p>6 No 13 AMP POWER POINTS TO BE PROVIDED 1 No COOKER CONTROL POINT</p> <p>ONE CUBIC METRE OF STORAGE TO PROVIDED MINIMUM</p> <p>EXTRACT FAN TO ACHIEVE 60 LITRE/SEC RATE OF AIR FLOW (MIN) AT HIGH SPEED AND ONE AIRCHANGER HOUR AT LOW SPEED, DUCTED TO OUTSIDE VIA 100mm ABS PIPE AS DUCT SEE PLANS/SECTION FOR ROUTE</p>	<p>PARTITIONS</p> <p>100 x 50 FRAMING AT 450mm CRS. 12.5mm PLASTER BOARD & SKIN ON EACH SIDE. DWANG UNDER</p>	<p>GENERAL</p> <p>ELECTRICS TO COMPLY WITH BS 7671 1997</p> <p>DRAINAGE TO COMPLY WITH PART 4 OF THE TECHNICAL STANDARDS. ALL PLASTIC PIPES TO BE FITTED PER THE MANUFACTURERS SPEC. AND BE FULLY SUPPORTED ALONG ITS LENGTH. SEE PIPES IN FLOOR DETAIL WHERE APPLICABLE.</p> <p>MAKE GOOD ALL FINISHES WHERE WORKS HAVE TAKEN PLACE (E.G. RE-RUN SKIRTINGS), NAIL DOWN FLOORBOARDS AND MATCH EXISTING DECOR OR AS NEAR AS POSSIBLE.</p> <p>SMOKE ALARM TO BE PROVIDED COMPLY TO BS 5446 PART 1 1990 AND BE OFF SEPARATE CIRCUIT SEE PLAN FOR LOCATIONS.</p>
---	---	--	---

Job: After Development House
Address: (32) 12 GRINDWAY ST. EDINBURGH 1.
Client: Grant Development Ltd.
Scale: 1:50 date 6/02 dwg. no. GS/01.f.